

Table of Contents

About the Author

Forewords

Acknowledgments

Chapter 1: Introduction

Introduction	-	-	-	-	-	-	1.1
Antenna Models Used in this Book	-	-	-	-	-	-	1.3
Using this book	-	-	-	-	-	-	1.3
Available at Date of Publishing, 2019	-	-	-	-	-	-	1.4
EZNEC	-	-	-	-	-	-	1.4
EZNEC V. 6.0 System Requirements	-	-	-	-	-	-	1.4
Other Modeling Programs	-	-	-	-	-	-	1.5
4NEC2	-	-	-	-	-	-	1.5
MMANA-GAL	-	-	-	-	-	-	1.5
External Programs and Applications	-	-	-	-	-	-	1.5
AutoEZ	-	-	-	-	-	-	1.5
TLDetails	-	-	-	-	-	-	1.5
Feed2EL	-	-	-	-	-	-	1.6
MoxGen	-	-	-	-	-	-	1.6
Z Plots	-	-	-	-	-	-	1.6
Excel G/Ta	-	-	-	-	-	-	1.6
TLW Version 3.0	-	-	-	-	-	-	1.6
Arrayfeed1	-	-	-	-	-	-	1.6
Coil 32 & Coil 64	-	-	-	-	-	-	1.6
ON4UN Low Band DXing software	-	-	-	-	-	-	1.6
VMware Workstation Player, version 14	-	-	-	-	-	-	1.6
Conventions for Text Markers	-	-	-	-	-	-	1.7
Bold Characters	-	-	-	-	-	-	1.7
Square brackets	-	-	-	-	-	-	1.7
Italic Characters	-	-	-	-	-	-	1.7
Accompanied Files	-	-	-	-	-	-	1.8
At the End	-	-	-	-	-	-	1.8
Design and Analysis	-	-	-	-	-	-	1.8
Modeling	-	-	-	-	-	-	1.8
Measuring	-	-	-	-	-	-	1.8

Chapter 2: Starting Modeling with EZNEC

Basic EZNEC Operation	-	-	-	-	-	-	2.1
The EZNEC Control Center – Main Screen	-	-	-	-	-	-	2.1
Menus	-	-	-	-	-	-	2.1
Information Window	-	-	-	-	-	-	2.1
Selection Buttons	-	-	-	-	-	-	2.1
Action Buttons	-	-	-	-	-	-	2.1
A Model Example	-	-	-	-	-	-	2.2
File Open – Save As	-	-	-	-	-	-	2.2
Working with EZNEC Model Data	-	-	-	-	-	-	2.3

Table of Contents

Wires - - - - -	2.3
X-Y-Z Coordinates - - - - -	2.4
Rectangular Coordinates - - - - -	2.5
Sources - - - - -	2.7
Ground Type and Description - - - - -	2.8
Wire Loss - - - - -	2.11
Frequency and Wavelength - - - - -	2.11
Some Computed Results - - - - -	2.12
View Antenna - - - - -	2.13
Source Data - - - - -	2.13
SWR Plot Display - - - - -	2.14
FF Plot - - - - -	2.16

Chapter 3: Wires

About Wires - - - - -	3.1
Segmentation - - - - -	3.2
Segmentation Check - - - - -	3.3
Geometry Check - - - - -	3.4
Wire Coordinate Shortcuts - - - - -	3.6
Connect End to - - - - -	3.8
Change Coordinate By - - - - -	3.8
Change Length By - - - - -	3.9
Change Length To - - - - -	3.9
Multiply Length By and Divide Length By - - - - -	3.9
Elevation Rotate End and Azimuth Rotate End - - - - -	3.10
Model examples by using shortcuts - - - - -	3.11
Sloping Dipole - - - - -	3.11
Inverted-Vee Dipole - - - - -	3.11
Using the Wires Window - - - - -	3.13
Add Wires - - - - -	3.14
Delete Wires - - - - -	3.15
Entering End Coordinates - - - - -	3.15
Entering Wire Diameter - - - - -	3.15
Entering the Number of Segments - - - - -	3.16
Defining Wire Insulation - - - - -	3.16
Splitting Wires - - - - -	3.18
Scaling Wires - - - - -	3.18
Rescaling by Frequency - - - - -	3.19
Changing Loop Size - - - - -	3.26
Changing the Antenna Height - - - - -	3.27
Copying, Moving, Rotating, and Stack Wires - - - - -	3.28
Move Wires or Changing Wire Position in List - - - - -	3.28
Copy Wires - - - - -	3.28
Move Wires XYZ - - - - -	3.30
Rotate Wires - - - - -	3.30
Stack Wires - - - - -	3.31
Segment Length Tapering - - - - -	3.32
Making Multiple Offset and/or Rotated Copies of wires - - - - -	3.34
Making a Cylindrical Structure - - - - -	3.36
Reflecting Wires in a Plane - - - - -	3.37
Other Features - - - - -	3.37
Wire Information Facility - - - - -	3.37
Change Units, Retain Numbers - - - - -	3.38

Table of Contents

Coord Entry Mode	-	-	-	-	-	3.38
Preserve Connections	-	-	-	-	-	3.38
Show Stepped Dia Correction	-	-	-	-	-	3.38
Importing Wire Coordinate	-	-	-	-	-	3.41
Combining Antenna Descriptions	-	-	-	-	-	3.42
AutoEZ Modify Wires Features	-	-	-	-	-	3.42
AutoSeg Wires	-	-	-	-	-	3.42
Move/Copy Wires	-	-	-	-	-	3.46
Rotate Wires	-	-	-	-	-	3.50
Scale Wires	-	-	-	-	-	3.50
Advanced Wire Features	-	-	-	-	-	3.51

Chapter 4: Sources

About Sources	-	-	-	-	-	4.1
Using the Sources Window	-	-	-	-	-	4.2
Source Placement Precautions	-	-	-	-	-	4.4
Some Source Examples	-	-	-	-	-	4.4
The 1-Wire Method	-	-	-	-	-	4.9
The 2-Wire Method	-	-	-	-	-	4.9
The 3-wire Method	-	-	-	-	-	4.11
Multiple sources	-	-	-	-	-	4.12
The Cardioid array	-	-	-	-	-	4.12
Dipole Array	-	-	-	-	-	4.14
W8JK Array	-	-	-	-	-	4.14
ZL Special	-	-	-	-	-	4.15
AutoEZ Sources	-	-	-	-	-	4.16

Chapter 5: Loads

About Loads	-	-	-	-	-	5.1
Loads Dialog Boxes Explained	-	-	-	-	-	5.2
Loads and Their Applications	-	-	-	-	-	5.4
Resistance-Reactance Loads ($R + jX$)	-	-	-	-	-	5.6
Series Resistance-Inductance-Capacitance Loads (RLC)	-	-	-	-	-	5.8
Placing Loads or Traps	-	-	-	-	-	5.8
Multiband Antennas by using Traps	-	-	-	-	-	5.9
Traps from a Modeling Perspective	-	-	-	-	-	5.10
Traps Modeling Tip	-	-	-	-	-	5.14
Traps and Segmentations	-	-	-	-	-	5.15
AutoEZ Loads	-	-	-	-	-	5.18
More about Loads	-	-	-	-	-	5.18

Chapter 6: Transmission Lines - TL

About Transmission Lines	-	-	-	-	-	6.1
The Transmission Lines Window	-	-	-	-	-	6.1
Specifying Connections	-	-	-	-	-	6.1
Specifying Length	-	-	-	-	-	6.1
Specifying Characteristic Impedance (Z_0)	-	-	-	-	-	6.2
Specifying Velocity Factor	-	-	-	-	-	6.3
Specifying Reverse or Normal Connection	-	-	-	-	-	6.3
Specifying Loss	-	-	-	-	-	6.3

Table of Contents

Some Example Models	-	-	-	-	-	6.3
3-El Yagi with a Quarter Wavelength Matching Section	-	-	-	-	-	6.5
4-El Yagi with a Beta Match (Shorted Stub)	-	-	-	-	-	6.7
3-El Phased Array with Director and Beta Match (Open Stub)	-	-	-	-	-	6.9
The Cardioid array	-	-	-	-	-	6.10
Dipole Array	-	-	-	-	-	6.14
W8JK Array	-	-	-	-	-	6.14
ZL Special	-	-	-	-	-	6.15
AutoEZ Transmission Lines	-	-	-	-	-	6.16
Match Section Stub System	-	-	-	-	-	6.18
Match Series Section System	-	-	-	-	-	6.22

Chapter 7: Physical Transmission Lines

Physical Models of Parallel Transmission Lines	-	-	-	-	-	7.1
Applications Physically Modeled Transmission Lines	-	-	-	-	-	7.2
The Off-Center-Fed Dipole	-	-	-	-	-	7.2
Modeling Transmission-Line Loads	-	-	-	-	-	7.4
The Collinear EDZ Array with Phasing Lines	-	-	-	-	-	7.6
Linear Loads	-	-	-	-	-	7.8
Transmission Lines as Lumped Constants	-	-	-	-	-	7.8
Stub Principles	-	-	-	-	-	7.8
Quad Reflector Stub	-	-	-	-	-	7.9

Chapter 8: Transformers and L Networks

Transformers	-	-	-	-	-	8.1
Specifying Impedances	-	-	-	-	-	8.1
Specifying Normal/Reverse connection	-	-	-	-	-	8.1
Some Examples	-	-	-	-	-	8.1
L Networks	-	-	-	-	-	8.3
40 Meter Vertical used at 80 Meter	-	-	-	-	-	8.4
40 Meter Vertical used at 20 Meter	-	-	-	-	-	8.9
Two Element Cardioid Array Example	-	-	-	-	-	8.11
AutoEZ using Networks	-	-	-	-	-	8.13
Y Parameter Network (EZNEC Pro only)	-	-	-	-	-	8.18

Chapter 9: Adding Ground Model

Free Space	-	-	-	-	-	9.1
Perfect Ground	-	-	-	-	-	9.1
Real Ground	-	-	-	-	-	9.2
Extended Accuracy (EZNEC Pro/4 only)	-	-	-	-	-	9.2
MININEC Type	-	-	-	-	-	9.3
High Accuracy Type	-	-	-	-	-	9.4
High Accuracy vs. MININEC with Horizontal Polarized Antennas	-	-	-	-	-	9.5
Adding a Second Medium	-	-	-	-	-	9.7
How to Add Additional Ground Medium	-	-	-	-	-	9.8
The Effects of One Ground Medium on Antenna Performances	-	-	-	-	-	9.10
The Effects of Two Ground Media on Antenna Performances	-	-	-	-	-	9.17
High Accuracy vs. MININEC with Vertical Polarized Antennas	-	-	-	-	-	9.20

Table of Contents

Chapter 10: View Antenna

The Controls	-	-	-	-	-	-	10.1
The Axes	-	-	-	-	-	-	10.2
Special Key Functions	-	-	-	-	-	-	10.2
Mouse Operations	-	-	-	-	-	-	10.2
Rotating	-	-	-	-	-	-	10.2
Moving	-	-	-	-	-	-	10.2
Zooming	-	-	-	-	-	-	10.2
Selecting Wires	-	-	-	-	-	-	10.2
Wire Information	-	-	-	-	-	-	10.2
Displayable Objects	-	-	-	-	-	-	10.3
Axes	-	-	-	-	-	-	10.3
Currents	-	-	-	-	-	-	10.3
Current Phase	-	-	-	-	-	-	10.4
Segment Dots	-	-	-	-	-	-	10.5
Unconnected Ends	-	-	-	-	-	-	10.5
Wire Numbers	-	-	-	-	-	-	10.5
2D Pattern	-	-	-	-	-	-	10.6
2 Port Objects	-	-	-	-	-	-	10.7
Object Symbols	-	-	-	-	-	-	10.7
Graphical Wire Operations	-	-	-	-	-	-	10.8
Add Connecting Wires	-	-	-	-	-	-	10.8
Move Wire Ends	-	-	-	-	-	-	10.9

Chapter 11: SWR Graph & Display

SWR Graph	-	-	-	-	-	-	11.1
Read Frequencies From File	-	-	-	-	-	-	11.3
Standing Wave and SWR	-	-	-	-	-	-	11.6

Chapter 12: Far Field Patterns

2D Display Plot	-	-	-	-	-	-	12.2
Multiple Traces	-	-	-	-	-	-	12.4
TraceView	-	-	-	-	-	-	12.5
Practical TraceView Example	-	-	-	-	-	-	12.6
Comparing Different Ground Mediums	-	-	-	-	-	-	12.7
OCF Multiband Dipole Patterns	-	-	-	-	-	-	12.8
Compass Bearing	-	-	-	-	-	-	12.8
CCW From X Axis	-	-	-	-	-	-	12.8
Plot Scale	-	-	-	-	-	-	12.11
Total, Horizontal and Vertical Radiation Component	-	-	-	-	-	-	12.12
Frequency Sweep	-	-	-	-	-	-	12.15
Frequency Sweep Evaluations	-	-	-	-	-	-	12.17
Miscellaneous Options	-	-	-	-	-	-	12.22
ARRL Type	-	-	-	-	-	-	12.22
Linear dB	-	-	-	-	-	-	12.22
Angle Convention	-	-	-	-	-	-	12.22
Compass Bearing	-	-	-	-	-	-	12.23
CCW From X Axis	-	-	-	-	-	-	12.23
AutoEZ Rectangular Plot Types	-	-	-	-	-	-	12.23
Final conclusions	-	-	-	-	-	-	12.27

Table of Contents

Chapter 13: Modeling Conventions and Guidelines

Guidelines	-	-	-	-	-	-	13.1
Conventions	-	-	-	-	-	-	13.2
Model Convention Examples	-	-	-	-	-	-	13.3
A 3-piece Dipole	-	-	-	-	-	-	13.3
A 3-element Yagi Convention Example	-	-	-	-	-	-	13.4
Quad Loop Conventions Example	-	-	-	-	-	-	13.5

Chapter 14: Convergence and Average Gain

Model Convergence Test	-	-	-	-	-	-	14.1
Model Average Gain Test	-	-	-	-	-	-	14.2
How to perform the Average Gain test	-	-	-	-	-	-	14.3
Some Test Models	-	-	-	-	-	-	14.4
Half-Wavelength Dipole	-	-	-	-	-	-	14.4
One-Wavelength Dipole	-	-	-	-	-	-	14.5
Folded Dipole with elements having different diameters	-	-	-	-	-	-	14.5
Dual-band Antenna with Close Spaced Elements	-	-	-	-	-	-	14.7
Close Spaced Elements with aligned and equal segment lengths	-	-	-	-	-	-	14.8
Quad Loop with Fat Horizontal Wires and Thin Vertical Wires	-	-	-	-	-	-	14.9
Triangles	-	-	-	-	-	-	14.11
Right-Angle Delta	-	-	-	-	-	-	14.11
Corner-Fed Non-Symmetrical Triangle Loop	-	-	-	-	-	-	14.12
Folded-X Beam	-	-	-	-	-	-	14.14
6-Element Yagi	-	-	-	-	-	-	14.16
AutoEZ Options	-	-	-	-	-	-	14.18
NEC-4 vs NEC-2	-	-	-	-	-	-	14.18
40-meter Yagi	-	-	-	-	-	-	14.20
Element Clamp with Large Diameter	-	-	-	-	-	-	14.20
Element Clamp with Small Diameter	-	-	-	-	-	-	14.23
20-meter Yagi	-	-	-	-	-	-	14.28
10-meter Yagi	-	-	-	-	-	-	14.30
Conclusions	-	-	-	-	-	-	14.32
Extra AutoEZ Options for Boom Clamp Models	-	-	-	-	-	-	14.33

Chapter 15: AutoEZ Calculations and Variable Use

AutoEZ Options	-	-	-	-	-	-	15.1
Variable Use in Calculate sheet	-	-	-	-	-	-	15.4
Example 1: Convergence Test	-	-	-	-	-	-	15.4
Example 2: Convergence Test on more Frequency Bands	-	-	-	-	-	-	15.6
Example 3: Increasing height	-	-	-	-	-	-	15.9
Example 4: Using more Variables	-	-	-	-	-	-	15.14
Example 5: Average Gain Test	-	-	-	-	-	-	15.16
ZL-Special	-	-	-	-	-	-	15.16
X-Beam	-	-	-	-	-	-	15.18

Chapter 16: Create Wires

Advanced Wire Features	-	-	-	-	-	-	16.1
Create Catenary	-	-	-	-	-	-	16.1

Table of Contents

Create Helix	-	-	-	-	-	-	16.3
Create Loop	-	-	-	-	-	-	16.5
Create Radials	-	-	-	-	-	-	16.6
EZNEC Create Radials	-	-	-	-	-	-	16.8
Low-Height Radial Systems	-	-	-	-	-	-	16.8
AutoEZ Create Radials	-	-	-	-	-	-	16.8
Create Stepped Dia	-	-	-	-	-	-	16.11
Converting Stepped Diameters from Imperial to Metric Units	-	-	-	-	-	-	16.15
Create Wire Grid	-	-	-	-	-	-	16.20
Wire Grid Creation using EZNEC Pro/2 and Pro/4	-	-	-	-	-	-	16.23
Wire Grid Creation using AutoEZ	-	-	-	-	-	-	16.24
Advanced wire grid constructions	-	-	-	-	-	-	16.25
Wire Grid Creation using 4NEC2	-	-	-	-	-	-	16.29
Advanced Wire-grid Constructions	-	-	-	-	-	-	16.30
Meander Line Creation	-	-	-	-	-	-	16.34

Chapter 17: Modeling by Equation

A Single Square Loop	-	-	-	-	-	-	17.2
Some Experiments	-	-	-	-	-	-	17.5
Diamond Loop	-	-	-	-	-	-	17.8
Bandwidth pitfall	-	-	-	-	-	-	17.12
Triangle Loops	-	-	-	-	-	-	17.14
A Little Trigonometry (Trig)	-	-	-	-	-	-	17.14
Equilateral Delta	-	-	-	-	-	-	17.16
Specifying the model variables and wire coordinates	-	-	-	-	-	-	17.18
Right Angle Delta	-	-	-	-	-	-	17.20
Cubical Quad	-	-	-	-	-	-	17.21
The Alternative Front-to-Back Conventions	-	-	-	-	-	-	17.25
Scratchpad and Constants	-	-	-	-	-	-	17.26
Another Look at the Quad Loop	-	-	-	-	-	-	17.27
The Moxon Rectangle	-	-	-	-	-	-	17.29
The Helix	-	-	-	-	-	-	17.34
Hexagon Helix	-	-	-	-	-	-	17.35
Octagon Helix	-	-	-	-	-	-	17.41
Decagon Helix	-	-	-	-	-	-	17.42
Dodecagon Helix	-	-	-	-	-	-	17.43
Hexadecagon Helix	-	-	-	-	-	-	17.44
Some Helical antennas	-	-	-	-	-	-	17.44
Helical Dipole	-	-	-	-	-	-	17.44
Helical Vertical with Hat	-	-	-	-	-	-	17.46
Vertical with loading coil	-	-	-	-	-	-	17.47
Current magnitude and phase behaviors	-	-	-	-	-	-	17.50
Some precautions	-	-	-	-	-	-	17.53
Solenoid Coil Limitations	-	-	-	-	-	-	17.54

Chapter 18: Special Cases

Crossed Dipoles	-	-	-	-	-	-	18.1
Turnstile dipoles	-	-	-	-	-	-	18.3
Multiple Dipoles	-	-	-	-	-	-	18.5
Acute Angles	-	-	-	-	-	-	18.9
Closely Spaced Wires	-	-	-	-	-	-	18.10
End fed antennas	-	-	-	-	-	-	18.10

Table of Contents

Random Wire Antenna	-	-	-	-	-	18.11
Long Wire Antenna	-	-	-	-	-	18.13
Terminated Endfed Longwire	-	-	-	-	-	18.14
Zepp feed system	-	-	-	-	-	18.19
The Beverage Antenna	-	-	-	-	-	18.20
RDF – Receiving Directivity Factor	-	-	-	-	-	18.22
Log Periodic Antennas	-	-	-	-	-	18.24
Small Loops	-	-	-	-	-	18.25
Vertical Antennas and Radial Systems	-	-	-	-	-	18.31

Chapter 19: AutoEZ Optimizer

Monoband Dipole	-	-	-	-	-	19.1
Optimization Setup	-	-	-	-	-	19.2
Optimize sheet	-	-	-	-	-	19.2
Targets	-	-	-	-	-	19.2
Weights	-	-	-	-	-	19.3
Good Enough	-	-	-	-	-	19.3
How Smart or Reliable is the Optimizer	-	-	-	-	-	19.7
Driver Director Type	-	-	-	-	-	19.10
3-element Yagi	-	-	-	-	-	19.13
2-element Penta Band Quad	-	-	-	-	-	19.15
Marking Out Insertion Objects	-	-	-	-	-	19.22
Current Diagnosis	-	-	-	-	-	19.23
Coupled Resonator Principle	-	-	-	-	-	19.29
Close spaced elements	-	-	-	-	-	19.29
Characteristics of Coupled-Resonator Antennas	-	-	-	-	-	19.33
Change Units perils	-	-	-	-	-	19.34
Wideband 80-meter Dipole	-	-	-	-	-	19.36
Dual-Band dipole 40- 15-meter	-	-	-	-	-	19.38
Shortened Vertical by using Top Capacity Hat	-	-	-	-	-	19.44
Shorted Vertical by using Helix load	-	-	-	-	-	19.45
Changing the Optimizer Weight	-	-	-	-	-	19.46
Using Formulas in Column A of the Insr Objs Sheet	-	-	-	-	-	19.46
Multiband Vertical (80-, 40-, 30- and 20-meter)	-	-	-	-	-	19.49
Multiband Vertical (160-, 80- and 40-meter)	-	-	-	-	-	19.52

Chapter 20: Tables and Graphs

LastZ.txt file	-	-	-	-	-	20.1
AutoEZ Graphs	-	-	-	-	-	20.3
Current sheet	-	-	-	-	-	20.6
Custom sheet	-	-	-	-	-	20.8
Electric Field Strength – Far Field	-	-	-	-	-	20.13
Electric Field Strength – Near Field	-	-	-	-	-	20.15
VOACAP – IONCAP 3D HF Files	-	-	-	-	-	20.19
Zplots – Impedance Plots using Excel Charts	-	-	-	-	-	20.28

Appendix A: Conversions and Tables

Converting from imperial to metric units and vice versa	-	-	-	-	-	A.1
Wire resistance and conductivity	-	-	-	-	-	A.4
DBW and dBuV to S-meter conversion	-	-	-	-	-	A.4

Table of Contents

Trigonometry conversions	-	-	-	-	-	A.5
Average gain table	-	-	-	-	-	A.5
Ground soil types	-	-	-	-	-	A.6
The equivalent resistance of buried radial system	-	-	-	-	-	A.6

Appendix B: Miscellaneous

Special Options	-	-	-	-	-	B.1
Software incompatibilities	-	-	-	-	-	B.2
AutoEZ – Using Excel tips	-	-	-	-	-	B.3
Use of Non-English Language Excel	-	-	-	-	-	B.4

Appendix C: Accompanied Models and Files

Index